



Transforming
spaces, elevating
experiences

Keystone Collection




verona-architectural.co.uk






Keystone has its roots in nature and technological innovation: it takes a new look at stone to create original finishes and immense tactile depth.






Technology at the service of beauty and performance.

The three Keystone finishes, for indoor and outdoor use, reflect a hybrid aesthetic that merges the contrasts of dolomitic clasts with the tasteful patterns typical of some marbles. The new Deep Tech digital technology plays a fundamental role by providing incredible tactile depth, while the Soft Touch technology, applied to the natural finish, guarantees exceptional slip resistance combined with a soft, easy-clean texture.



5 colours, 2 complementary technologies and 3 finishes for new creative compositions.



Stripes



01_ Fossil


02_ Ocean Grey

03_ Rope

04_ Pure

05_ Fog

SPAZZOLATO*



Tactile and visual depth in a soft, luminous surface.

The innovative Deep Tech digital system generates sophisticated patterning with a strongly three-dimensional character and dynamic interplays of light. This special feature, even more noticeable in the brushed version, highlights the agglomerated textures and the depth of the mineral inclusions.

ROPE SPAZZOLATO

Keystone reflects aesthetic and technical characteristics that have become genuine icons of architectural design: the apparently random patterning of nature, an attractive degree of variability and unrivalled performances for surfaces of great architectural potential that will stand the test of time and fashions.



ROPE



THICKNESS
20
MM

OutWalk²⁰_{MM}

Keystone: a complete set of interior design tools.

The floor tiles in 20 mm thickness, matching the 9 mm surfaces, enable the covering of both walls and floors in immaculate style with complete safety. All surfaces consist of natural raw materials, are totally water-repellent and antibacterial and provide outstanding anti-slip properties.

Wall - Fossil 120x120 | Ocean Grey 60x120

Floor - Fossil 20MM 120x120

FOSSIL 20MM / OCEAN GREY



OCEAN GREY / FOSSIL

Wall - Ocean Grey 120x120 | Fossil 60x120

Floor - Ocean Grey 120x120

FOSSIL

MURETTO
FOSSILTHICKNESS
20
MM



Wall - Muretto Fossil 20x40 | Fossil 120x120

Floor - Fossil 20MM 120x120

OutWalk²⁰_{MM}

Tangible, measurable sustainability.

Keystone has very low impact: it consists of 40% recycled materials and thus helps to drastically reduce raw material consumption. The environmental factor has become more and more important, which makes an active contribution to sustainability through tangible, measurable actions.



FOSSIL 20MM

Surfaces for the contemporary home.

With its tasteful styling and tactile harmony, Keystone inspires mixtures of textures and colours. The dialogue between surfaces is a contemporary approach which embraces right from the research phase, making its collections versatile, universal colour palettes for architects.

CROSS COLLECTIONS
mix & match



KEYSTONE /
OCEAN GREY

+



NORDIC WOOD /
BACCHETTE
BLONDE

+



KHROMA / OTTANIO

OCEAN GREY



OCEAN
GREY

NORDIC WOOD
+

OVERSIZE
120x278

KHROMA
+





Wall / floor - Ocean Grey 120x120 | NORDIC WOOD Bacchette Blonde 120x278

Counter Top - KHROMA Ottanio 120x278



Stripes is the mosaic in 5 colour variants which brightens up walls with exquisite metal look strip tiles in warm or cold version.

Stripes 30x30




Keystone provides a combination of thicknesses, sizes and colours to ensure the utmost flexibility in use, from the contract sector to the home and from indoors to outdoors. Porcelain stoneware is a reliable partner for sustainable architecture with outstanding design values.



Wall - Pure 120x120 | KHROMA Talco 120x278

Counter Top - Muretto Pure 20x40

Floor - Fog 120x120 | Pure 120x120





Wall - Pure 60x120



PURE


V2



Amazing size
NEW



120x120 - 47¹/₄x47¹/₄"
KYN 188R Pure Rettificato

02
1110



60x120 - 23⁵/₈x47¹/₄"
KYN 82RT Pure Rettificato

02
1075



30x60 - 11¹/₃x16x23⁵/₈"
KYN 86RT Pure Rettificato

07
1040



60x60 - 23⁵/₈x23⁵/₈"
KYN 80RT Pure Rettificato

03
1065

SPAZZOLATO



60x120 - 23⁵/₈x47¹/₄"
KYN 82SR Pure Spazzolato Rett.

02
1110


GROUTS

04
KERAKOLL


103
MAPEI

18
LATICRETE


30x30 - 11¹/₃x11¹/₃"
KYN 885N Mos. 5x5 Pure


28x28 - 11"x11"
KYN 887N Lisca Pure


20x40 - 7⁷/₈x15⁵/₈"
KYN 886N Muretto Pure


30x30 - 11¹/₃x11¹/₃"
KYN 888N Stripes Pure SX/DX

OUT
WALK
20MM

Amazing size
NEW




120x120 - 47¹/₄x47¹/₄"
KYN 812R Pure 20 MM Rettificato

01
1135



60x120 - 23⁵/₈x47¹/₄"
KYN 89RT Pure 20MM Rett.

01
1125



60x60 - 23⁵/₈x23⁵/₈"
KYN 860R Pure 20 MM Rett.

02
1115

ROPE


V2



Amazing size
NEW



120x120 - 47¹/₄x47¹/₄"
KYN 183R Rope Rettificato

02
1110



60x120 - 23⁵/₈x47¹/₄"
KYN 32RT Rope Rettificato

02
1075



30x60 - 11¹/₃x16x23⁵/₈"
KYN 36RT Rope Rettificato

07
1040



60x60 - 23⁵/₈x23⁵/₈"
KYN 30RT Rope Rettificato

03
1065

SPAZZOLATO



60x120 - 23⁵/₈x47¹/₄"
KYN 32SR Rope Spazzolato Rett.


02
1110


GROUTS

06
KERAKOLL


110
MAPEI

89
LATICRETE


30x30 - 11¹/₃x11¹/₃"
KYN 335N Mos. 5x5 Rope


28x28 - 11"x11"
KYN 337N Lisca Rope


20x40 - 7⁷/₈x15⁵/₈"
KYN 336N Muretto Rope


30x30 - 11¹/₃x11¹/₃"
KYN 338N Stripes Rope SX/DX


OUT
WALK
20MM

Amazing size
NEW



120x120 - 47¹/₄x47¹/₄"
KYN 312R Rope 20 MM Rettificato

01
1135



60x120 - 23⁵/₈x47¹/₄"
KYN 39RT Rope 20MM Rett.

01
1125



60x60 - 23⁵/₈x23⁵/₈"
KYN 360R Rope 20 MM Rett.

02
1115

FOSSIL


V2

09315
PORCELAIN
TILES

UGL
EN 14411
ISO 13006

H
HYPER-ABSORBENT






60x120 - 23"5/8x47"1/4
KYN 22RT Fossil Rettificato




60x60 - 23"5/8x23"5/8
KYN 20RT Fossil Rettificato



30x60 - 11"13/16x23"5/8
KYN 26RT Fossil Rettificato




30x30 - 11"13/16x11"13/16
KYN 225N Mos. 5x5 Fossil



28x28 - 11"x11"
KYN 227N Lisca Fossil



20x40 - 7"7/8x15"6/8
KYN 226N Muretto Fossil



30x30 - 11"13/16x11"13/16
KYN 228N Stripes Fossil SX/DX

OUT
WALK
20MM

Amazing size
NEW



120x120 - 47"1/4x47"1/4
KYN 212R Fossil 20 MM Rettificato



60x120 - 23"5/8x47"1/4
KYN 29RT Fossil 20MM Rett.



60x60 - 23"5/8x23"5/8
KYN 260R Fossil 20 MM Rett.

GROUTS
KERAKOLL

09

MAPEI

112

LATICRETE

42

OCEAN GREY / FOG


V2

09315
PORCELAIN
TILES

UGL
EN 14411
ISO 13006

H
HYPER-ABSORBENT



Amazing size
NEW



120x120 - 47"1/4x47"1/4
KYN 181R Ocean Grey Rettificato




60x120 - 23"5/8x47"1/4
KYN 12RT Ocean Grey Rettificato




30x60 - 11"13/16x23"5/8
KYN 16RT Ocean Grey Rettificato



60x60 - 23"5/8x23"5/8
KYN 10RT Ocean Grey Rettificato




30x30 - 11"13/16x11"13/16
KYN 115N Mos. 5x5 Ocean Grey



28x28 - 11"x11"
KYN 117N Lisca Ocean Grey



20x40 - 7"7/8x15"6/8
KYN 116N Muretto Ocean Grey



30x30 - 11"13/16x11"13/16
KYN 118N Stripes Ocean Grey SX/DX



60x120 - 23"5/8x47"1/4
KYN 12SR Ocean Grey Spazz. Rett.

SPAZZOLATO

GROUTS
KERAKOLL

06

MAPEI

110

LATICRETE

89

GROUTS
KERAKOLL

11

MAPEI

114

LATICRETE

45


TECHNICAL INFO

	 120x120 Rettificato 02 1110	 60x120 Rettificato 02 1075	 60x60 Rettificato 03 1065	 30x60 Rettificato 07 1040	 60x120 Spazz. Rett. 02 1110	 20 MM 120x120 Rett. 01 1135	 20 MM 60x120 Rett. 01 1125	 20 MM 60x60 Rett. 02 1115
 PURE	KYN188R	KYN82RT	KYN80RT	KYN86RT	KYN82SR	KYN812R	KYN89RT	KYN860R
 ROPE	KYN183R	KYN32RT	KYN30RT	KYN36RT	KYN32SR	KYN312R	KYN39RT	KYN360R
 FOSSIL	-	KYN22RT	KYN20RT	KYN26RT	-	KYN212R	KYN29RT	KYN260R
 OCEAN GREY	KYN181R	KYN12RT	KYN10RT	KYN16RT	KYN12SR	-	-	-
 FOG	-	KYN92RT	KYN90RT	KYN96RT	-	-	-	-

IMBALLI e PESI / Packaging and weights / Verpackungen und Gewichte / Emballages et poids




	pcs/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	≡ mm
120x120	2	2,880	56,0	16	46,08	896	9
60x120	2	1,440	27,3 - MAX WEIGHT	32	46,08	874	9
60x60	3	1,080	20,0	48	51,84	960	9
30x60	7	1,260	23,6	40	50,40	944	9
120x120	1	1,440	62,0 - MAX WEIGHT	16	23,04	992	20
60x120	1	0,720	31,4 - MAX WEIGHT	33	23,76	1036	20
60x60	2	0,720	31,0 - MAX WEIGHT	32	23,04	992	20

9 MM PEZZI SPECIALI / Trims / Pièces spéciales / Formteile

	 Gradino Elle Rett. 33x120x4 * 01 670	 Angolo DX Rett. 33x120x4 * 01 676	 Angolo SX Rett. 33x120x4 * 01 676	 Battiscopa 7x60 15 230
 PURE	KYN G81K	KYN G82K	KYN G85K	KYN B80K
 ROPE	KYN G31K	KYN G32K	KYN G35K	KYN B30K
 FOSSIL	KYN G21K	KYN G22K	KYN G25K	KYN B20K
 OCEAN GREY	KYN G11K	KYN G12K	KYN G15K	KYN B10K
 FOG	KYN G91K	KYN G92K	KYN G95K	KYN B90K



*PEZZI SPECIALI 20MM FINITURE STANDARD / Special coordinated pieces ON DEMAND /
Pièces spéciales coordonnées SUR DEMANDE / Zusammenstellbare Formteile AUF ANFRAGE

DESCRIZIONE	FP	CODICE GENERICO
 Gradino Monografico 1 33x120	01 680	KYN M121
 Gradino Monografico SX/DX 33x120	01 681	KYN M122
 Gradino Monografico 3 33x120	01 682	KYN M123
 Angolo Monografico SX/DX 33x120	1+1 683	KYN MA12
 Gradino L17 30x120x17	01 681	KYN L1217
 Angolo L17 SX/DX 30x120x17	1+1 682	KYN LA27
 Gradino Elle 30x120x6,5	01 676	KYN L1265
 Angolo Elle SX/DX 30x120x6,5	1+1 678	KYN LA12

DESCRIZIONE	FP	CODICE GENERICO
 Toro Gradino 30x120	01 656	KYN T120
 Toro Angolo SX/DX 30x120	1+1 665	KYN TA12
 3/5 Righe Antiderapant	+€ 10,00 / PCS	
 Gradino Costa Retta 30x60	02 607	KYN R61
 Angolo Arrotondato Costa Retta 60x60	01 664	KYN RA61
 Angolo Arrotondato Toro 60x60	01 672	KYN TA61
 Griglia 20x60	02 590	KYN G260
 Griglia Angolo SX/DX 20x60	1+1 610	KYN GA260

***6**
SETTIMANE DI CONSEGNA
/ DELIVERY WEEKS /
WOCHEN LIEFERZEIT /
SEMAINES DE LIVRAISON

DATI TECNICI / Technical features / Technische eigenschaften / Caracteristiques techniques

TECHNICAL	DIN EN 16165 annex B	DIN EN 16165 annex A	BS EN 16165 annex C	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
N NATURALE	R10	A+B	>36 wet slider 4S	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥5	4	5	 V2
S SPAZZOLATO	-	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	3	3	
OUT WALK 20 MM	R11	A+B+C		DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm³	≥ 8	5	5	



NATURALE



SPAZZOLATO



20MM

-  Utilizzare il **QR CODE** per scaricare le schede tecniche
-  Use the **QR CODE** to download data sheets
-  Veuillez utiliser le **QR CODE** pour télécharger les fiches techniques
-  **QR CODE** benutzen um die technische datenblätter runter zu laden

Contact us for more information



architectural@veronagroup.co.uk

0113 519 5004

www.verona-architectural.co.uk

Lumina,
Park Approach,
Thorpe Park,
Leeds LS15 8GB

