VERONA
ARCHITECTURAL TILES

Transforming spaces, elevating experiences

Khroma Collection

verona-architectural.co.uk

VERONA®
ARCHITECTURAL TILES

Khroma celebrates the expressive power and natural character of the ancestral material from which everything originates: clay.



Clay, a history with ancient beginnings.

The design project began from the origins: clay mixed and shaped with water, compressed and left to dry in wooden moulds. Research laboratories retraced this ancient technique from original pieces, and used it to form new surfaces with a timeless beauty.

Handmade unfired clay - scale 1:1

Khroma, new life.

The new porcelain stoneware surfaces reflect every step in the design process: the finely calculated particle size, the incredible authenticity and the tactile depth.

Saturated, tactile colours.

1_ Fango

2_ Talco

3_ Ottanio

4_ Avorio

5_ Moro

6_ Argilla

7_ Corda

The Khroma colour assortment is derived from nature and offers a sophisticated range of neutral shades ideal for mixing and matching. The pigments are attractively uniform yet also vibrant, rich in all the original beauty of unfired clay.

1_

Rammed, an ancient technique.

Rammed is inspired by an ancient building method which uses different types of clay compressed (rammed) by hand into wooden moulds and left to dry in the sun. The compacted layers are clearly visible, with a rich texture that reveals the grain, the colour strata and the many variations in shade.

2_

3_

1_ W1 Talco

2_ W2 Avorio

3_ W3 Corda

OVERSIZE the brand for large surfaces.

OVERSIZE

120x278

With the OVERSIZE brand, a new ceramic covering size: large slabs of 120x278 cm in 6 mm thickness. The supersize ceramic slabs express the spirit of every architectural project and highlight surfaces' aesthetic sophistication.

Oversize colors

Talco Avorio Corda Ottanio

Oversize Rammed colors

W1 Talco W2 Avorio W3 Corda

Sizes:



Wall: Ottanio 120x278 | Argilla 120x120
Floor: Rammed W1 Talco 120x120

Materials in harmony.

Ottanio

Argilla

The Khroma surfaces combine attractively in a versatile collection that responds to contemporary values and tastes, for applications with outstanding design values.

Rammed W1 Talco

Ottanio

OVERSIZE
120x278

The huge new slabs expand the Khroma surfaces' natural loveliness and contemporary character, for impeccable architectural solutions and applications.

Avorio
Rammed W2 Avorio

Wall: Avorio 120x120 | Rammed W2 Avorio 120x120
Floor: Rammed W2 Avorio 120x120

A new approach to decoration.

Rammed creates decorative surfaces simply with the natural character of the material. Colour shades interweave in exquisite, tasteful chromatic patterns.

Wall: Corda 120x278 | Talco120x278 | Rammed W3 Corda 120x278
Floor: Talco 120x120

KHROMA

Natural yet high-tech habitat.

Rammed W3 Corda

Corda

Talco

Combine the best of ceramic technology with a natural, tactile look in large, slim-thickness slabs ideal for covering not only the usual surfaces but also architectural forms and tailor-made furnishings.

Moro
Fango

Wall: Moro 120x120 | Fango 120x120
Floor: Fango 120x120

120x 120

AMAZING SIZE
NEW

THICKNESS
8 MM

The new 120x120 cm surfaces in 8 mm thickness provide a new size for warm textures. These large slabs evoke clay and its profound intensity, infusing interiors with modernity and a tactile sophistication.

OutWalk 20 MM

Wall in/out: Avorio 120x120 | Fango 120x120
Floor in: Fango 120x120
Floor out: Fango 120x120 20MM
Fango Griglia 20x60x2 20MM | Angolo Griglia SX/DX 20x60x2 20MM
Gradino Elle 30x120x6,5 20MM | Gradino Angolo Elle 30x120x6,5 20MM

Spaces in continuous harmony.

IN 8 MM OUT 20 MM

The Khroma project links indoor and outdoor spaces by extending the beauty of the clay look. All indoor and outdoor surfaces are colour-matched, environment-friendly and high-performing, guaranteeing safety and technical reliability.

Moro
Talco

Wall: Moro 120x120 | Talco 120x120 | WONDERSPACE Motif Black 60x120
Floor: Talco 120x120 | NORDIC WOOD Bacchette Blonde 60x240

Aesthetic affinity and tactile synergy.

CROSS COLLECTIONS
mix& match

KHROMA / TALCO

+

KHROMA / MORO

+

WONDERSPACE / MOTIF BLACK

+

NORDIC WOOD / BACCHETTE BLONDE

Items

CORDA

V2

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Sustainable Resources 40% RECYCLED CONTENT

OVERSIZE NEW 120x278



120x278 - 47"1/4x109"7/16 | 01 | 1140
KRM LA13 Corda Rettificato

Size NEW 120x120

120x120 - 47"1/4x47"1/4 | 02 | 1110
KRM 183R Corda Rettificato

60x120 - 23"5/8x47"1/4 | 02 | 1075
KRM 32RT Corda Rett.

60x120 - 23"5/8x47"1/4 | 02 | 1075
KRM 32AS Corda AS Rett.

30x60 - 11"13/16x23"5/8 | 07 | 1040
KRM 36RT Corda Rett.

30x60 - 11"13/16x23"5/8 | 07 | 1040
KRM 36AS Corda AS Rett.

ANTISLIP

100x100 - 39"3/8x39"3/8 | 02 | 1090
KRM 103R Corda Rettificato

60x60 - 23"5/8x23"5/8 | 03 | 1065
KRM 30RT Corda Rett.



30x30 - 11"13/16x11"13/16 | 10 | 3115
KRM 335N Mos. 5x5 Corda

30x60 - 11"13/16x23"5/8 | 04 | 3130
KRM 336N Bacchette Corda

30x60 - 11"13/16x23"5/8 | 05 | 3130
KRM 339N Lock Corda/Fango



20x60 - 7"7/8x23"5/8 | 5 | 3150
KRM 338N Curves Corda/Fango

20x40 - 7"7/8x15"3/4 | 04 | 3150
KRM 337N Bold Corda/Fango

GROUTS	
KERAKOLL	44
MAPEI	123
LATICRETE	23

OUT WALK 20MM

Size NEW 120x120

120x120 - 47"1/4x47"1/4 | 01 | 1135
KRM 312R Corda 20 MM Rettificato

60x120 - 23"5/8x47"1/4 | 01 | 1125
KRM 362R Corda 20MM Rett.

60x60 - 23"5/8x23"5/8 | 02 | 1115
KRM 360R Corda 20 MM Rett.

AVORIO

V2

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Sustainable Resources 40% RECYCLED CONTENT

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16 | 01 | 1140
KRM LA14 Avorio Rettificato

Size NEW 120x120

120x120 - 47"1/4x47"1/4 | 02 | 1110
KRM 184R Avorio Rettificato

60x120 - 23"5/8x47"1/4 | 02 | 1075
KRM 42RT Avorio Rett.

60x120 - 23"5/8x47"1/4 | 02 | 1075
KRM 42AS Avorio AS Rett.

30x60 - 11"13/16x23"5/8 | 07 | 1040
KRM 46RT Avorio Rett.

30x60 - 11"13/16x23"5/8 | 07 | 1040
KRM 46AS Avorio AS Rett.

ANTISLIP

100x100 - 39"3/8x39"3/8 | 02 | 1090
KRM 104R Avorio Rettificato

60x60 - 23"5/8x23"5/8 | 03 | 1065
KRM 40RT Avorio Rett.



30x30 - 11"13/16x11"13/16 | 10 | 3115
KRM 445N Mos. 5x5 Avorio

30x60 - 11"13/16x23"5/8 | 04 | 3130
KRM 446N Bacchette Avorio

30x60 - 11"13/16x23"5/8 | 05 | 3130
KRM 449N Lock Avorio/Fango

20x60 - 7"7/8x23"5/8 | 05 | 3150
KRM 448N Curves Avorio/Fango

20x40 - 7"7/8x15"3/4 | 04 | 3150
KRM 447N Bold Avorio/Fango

GROUTS	
KERAKOLL	50
MAPEI	132
LATICRETE	40

OUT WALK 20MM

Size NEW 120x120

120x120 - 47"1/4x47"1/4 | 01 | 1135
KRM 412R Avorio 20 MM Rettificato

60x120 - 23"5/8x47"1/4 | 01 | 1125
KRM 462R Avorio 20MM Rett.

60x60 - 23"5/8x23"5/8 | 02 | 1115
KRM 460R Avorio 20 MM Rett.

FANGO

V2

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Navigatell Ecosystem 40% RECYCLED CONTENT

Size NEW 120x120

120x120 - 47"1/4x47"1/4 02 1110
KRM 181R Fango Rettificato

60x120 - 23"5/8x47"1/4 02 1075
KRM 12RT Fango Rett.

60x60 - 23"5/8x23"5/8 03 1065
KRM 10RT Fango Rett.

30x60 - 11"13/16x23"5/8 07 1040
KRM 16RT Fango Rett.



30x30 - 11"13/16x11"13/16 10 3115
KRM 115N Mos. 5x5 Fango

30x60 - 11"13/16x23"5/8 04 3130
KRM 116N Bacchette Fango

30x60 - 11"13/16x23"5/8 05 3130
KRM 449N Lock Avorio/Fango

20x60 - 7"7/8x23"5/8 05 3150
KRM 448N Curves Avorio/Fango

20x40 - 7"7/8x15"3/4 04 3150
KRM 447N Bold Avorio/Fango

GROUTS
KERAKOLL 36
MAPEI 187
LATICRETE 34

OUT WALK 20MM

Size NEW 120x120

120x120 - 47"1/4x47"1/4 01 1135
KRM 112R Fango 20 MM Rettificato

60x120 - 23"5/8x47"1/4 01 1125
KRM 162R Fango 20MM Rett.

60x60 - 23"5/8x23"5/8 02 1115
KRM 160R Fango 20 MM Rett.

ARGILLA

V2

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Navigatell Ecosystem 40% RECYCLED CONTENT

Size NEW 120x120

120x120 - 47"1/4x47"1/4 02 1110
KRM 186R Argilla Rettificato

60x120 - 23"5/8x47"1/4 02 1075
KRM 62RT Argilla Rett.

60x60 - 23"5/8x23"5/8 03 1065
KRM 60RT Argilla Rett.

30x60 - 11"13/16x23"5/8 07 1040
KRM 66RT Argilla Rett.



30x30 - 11"13/16x11"13/16 10 3115
KRM 665N Mos. 5x5 Argilla

30x60 - 11"13/16x23"5/8 04 3130
KRM 666N Bacchette Argilla

30x60 - 11"13/16x23"5/8 05 3130
KRM 669N Lock Argilla/Avorio



20x60 - 7"7/8x23"5/8 05 3150
KRM 668N Curves Argilla/Avorio

20x40 - 7"7/8x15"3/4 04 3150
KRM 667N Bold Argilla/Avorio

GROUTS
KERAKOLL 45
MAPEI 133
LATICRETE 30

OTTANIO / MORO

V2

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Sustainable Excellence 40% RECYCLED CONTENT

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16 01 1140
KRM LA17 Ottanio Rettificato

Size NEW 120x120

120x120 - 47"1/4x47"1/4 02 1110
KRM 187R Ottanio Rettificato

60x120 - 23"5/8x47"1/4 02 1075
KRM 72RT Ottanio Rett.

30x60 - 11"13/16x23"5/8 07 1040
KRM 76RT Ottanio Rett.

60x60 - 23"5/8x23"5/8 03 1065
KRM 70RT Ottanio Rett.

30x30 - 11"13/16x11"13/16 10 3115
KRM 775N Mos. 5x5 Ottanio

30x60 - 11"13/16x23"5/8 04 3130
KRM 776N Bacchette Ottanio

30x60 - 11"13/16x23"5/8 05 3130
KRM 779N Lock Ottanio/Talco

20x60 - 7"7/8x23"5/8 05 3150
KRM 778N Curves Ottanio/Talco

20x40 - 7"7/8x15"3/4 04 3150
KRM 777N Bold Ottanio/Talco

GROUTS
KERAKOLL -
MAPEI 176
LATICRETE 91

Size NEW 120x120

120x120 - 47"1/4x47"1/4 02 1110
KRM 182R Moro Rettificato

60x120 - 23"5/8x47"1/4 02 1075
KRM 22RT Moro Rett.

30x60 - 11"13/16x23"5/8 07 1040
KRM 26RT Moro Rett.

60x60 - 23"5/8x23"5/8 03 1065
KRM 20RT Moro Rett.

30x30 - 11"13/16x11"13/16 10 3115
KRM 225N Mos. 5x5 Moro

30x60 - 11"13/16x23"5/8 04 3130
KRM 226N Bacchette Moro

30x60 - 11"13/16x23"5/8 05 3130
KRM 229N Lock Talco/Moro

20x60 - 7"7/8x23"5/8 05 3150
KRM 228N Curves Talco/Moro

20x40 - 7"7/8x15"3/4 04 3150
KRM 227N Bold Talco/Moro

GROUTS
KERAKOLL 11
MAPEI 114
LATICRETE 45

TALCO

V2

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Sustainable Excellence 40% RECYCLED CONTENT

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16 01 1140
KRM LA18 Talco Rettificato

Size NEW 120x120

120x120 - 47"1/4x47"1/4 02 1110
KRM 188R Talco Rettificato

60x120 - 23"5/8x47"1/4 02 1075
KRM 82RT Talco Rett.

60x120 - 23"5/8x47"1/4 02 1075
KRM 82AS Talco AS Rett.

30x60 - 11"13/16x23"5/8 07 1040
KRM 86RT Talco Rett.

30x60 - 11"13/16x23"5/8 07 1040
KRM 86AS Talco AS Rett.

ANTISLIP

100x100 - 39"3/8x39"3/8 02 1090
KRM 108R Talco Rettificato

60x60 - 23"5/8x23"5/8 03 1065
KRM 80RT Talco Rett.

30x30 - 11"13/16x11"13/16 10 3115
KRM 885N Mos. 5x5 Talco

30x60 - 11"13/16x23"5/8 04 3130
KRM 886N Bacchette Talco

30x60 - 11"13/16x23"5/8 05 3130
KRM 229N Lock Talco/Moro

20x60 - 7"7/8x23"5/8 05 3150
KRM 228N Curves Talco/Moro

20x40 - 7"7/8x15"3/4 04 3150
KRM 227N Bold Talco/Moro

GROUTS
KERAKOLL 05
MAPEI 103
LATICRETE 18

OUT WALK 20MM

Size NEW 120x120

120x120 - 47"1/4x47"1/4 01 1135
KRM 812R Talco 20 MM Rettificato

60x120 - 23"5/8x47"1/4 01 1125
KRM 862R Talco 20MM Rett.

RAMMED W1 TALCO

OVERSIZE NEW 120x278



120x278 - 47"1/4x109"7/16
KRM LA01 Rammed W1 Talco Rettificato 01 1140

Size NEW 120x120

120x120 - 47"1/4x47"1/4
KRM 1801R Rammed W1 Talco Rettificato 02 1110

60x120 - 23"5/8x47"1/4 02 1075
KRM 015R Rammed W1 Talco Rettificato

09315 PORCELAIN TILES

UGL EN 14411 ISO 13006

HD HIGH DEFINITION

Natural Ecosystem 40% RECYCLED CONTENT

V3

GROUTS

KERAKOLL 05

MAPEI 103

LATICRETE 18

SPAZZOLATO

60x120 - 23"5/8x47"1/4 02 1110
KRM 015S Rammed W1 Talco Spazzolato Rett.

OUT WALK 20MM

60x120 - 23"5/8x47"1/4 01 1125
KRM 1201R Rammed W1 Talco 20MM Rett.

RAMMED W2 AVORIO

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16
KRM LA02 Rammed W2 Avorio Rettificato 01 1140

Size NEW 120x120

120x120 - 47"1/4x47"1/4
KRM 1802R Rammed W2 Avorio Rettificato 02 1110

60x120 - 23"5/8x47"1/4 02 1075
KRM 025R Rammed W2 Avorio Rettificato

09315 PORCELAIN TILES

UGL EN 14411 ISO 13006

HD HIGH DEFINITION

Natural Ecosystem 40% RECYCLED CONTENT

V3

GROUTS

KERAKOLL 50

MAPEI 132

LATICRETE 40

SPAZZOLATO

60x120 - 23"5/8x47"1/4 02 1110
KRM 025S Rammed W2 Avorio Spazzolato Rett.

OUT WALK 20MM

60x120 - 23"5/8x47"1/4 01 1125
KRM 2201R Rammed W2 Avorio 20MM Rett.

RAMMED W3 CORDA

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16
KRM LA03 Rammed W3 Corda Rettificato 01 1140

Size NEW 120x120

120x120 - 47"1/4x47"1/4
KRM 1803R Rammed W3 Corda Rettificato 02 1110

60x120 - 23"5/8x47"1/4 02 1075
KRM 035R Rammed W3 Corda Rettificato

09315 PORCELAIN TILES

UGL EN 14411 ISO 13006

HD HIGH DEFINITION

Natural Ecosystem 40% RECYCLED CONTENT

V3

GROUTS

KERAKOLL 44

MAPEI 123

LATICRETE 23

SPAZZOLATO

60x120 - 23"5/8x47"1/4 02 1110
KRM 035S Rammed W3 Corda Spazzolato Rett.

OUT WALK 20MM

60x120 - 23"5/8x47"1/4 01 1125
KRM 3201R Rammed W3 Corda 20MM Rett.

SCHEMI DI POSA 120x120 RAMMED / LAYING SCHEMES 120x120 RAMMED
LEGEBEISPIELE 120x120 RAMMED / CALPINAGE 120x120 RAMMED

A



B



C





KHROMA **OVERSIZE**

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Sustainable Ecosystem 40% RECYCLED CONTENT

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16
KRM LA17 Ottanio Rettificato

01 1140

120x278 - 47"1/4x109"7/16
KRM LA18 Talco Rettificato

01 1140

KHROMA **OVERSIZE**

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Sustainable Ecosystem 40% RECYCLED CONTENT

OVERSIZE NEW 120x278



120x278 - 47"1/4x109"7/16
KRM LA14 Avorio Rettificato

01 1140



120x278 - 47"1/4x109"7/16
KRM LA13 Corda Rettificato

01 1140

KHROMA RAMMED **OVERSIZE**

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Naraghi Ecosystem 40% RECYCLED CONTENT

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16
KRM LA01 Rammed W1 Talco Rettificato
01 1140

120x278 - 47"1/4x109"7/16
KRM LA02 Rammed W2 Avorio Rettificato
01 1140

KHROMA RAMMED **OVERSIZE**

09315 PORCELAIN TILES | UGL EN 14411 ISO 13006 | HD HIGH DEFINITION | Naraghi Ecosystem 40% RECYCLED CONTENT

OVERSIZE NEW 120x278

120x278 - 47"1/4x109"7/16
KRM LA03 Rammed W3 Corda Rettificato
01 1140

THICKNESS 6 MM

OVERSIZE 120x278

47"1/4x109"7/16

COLLECTION OVERVIEW

	120x278 Rettificato 01 1140	120x120 Rettificato 02 1110	100x100 Rettificato 02 1090	60x120 Rettificato 02 1075	60x60 Rettificato 03 1065	30x60 Rettificato 07 1040	60x120 Spazz. Rett. 02 1110	60x120 AS Rett. 02 1075	30x60 AS Rett. 07 1040	**20 MM** 120x120 Rett. 01 1135	**20 MM** 60x120 Rett. 01 1125	**20 MM** 60x60 Rett. 02 1110
OTTANIO	KRM LA17	KRM 187R	-	KRM 72RT	KRM 70RT	KRM 76RT	-	-	-	-	-	-
TALCO	KRM LA18	KRM 188R	KRM 108R	KRM 82RT	KRM 80RT	KRM 86RT	-	KRM 82AS	KRM 86AS	KRM 812R	KRM 862R	-
AVORIO	KRM LA14	KRM 184R	KRM 104R	KRM 42RT	KRM 40RT	KRM 46RT	-	KRM 42AS	KRM 46AS	KRM 412R	KRM 462R	KRM 460R
CORDA	KRM LA13	KRM 183R	KRM 103R	KRM 32RT	KRM 30RT	KRM 36RT	-	KRM 32AS	KRM 36AS	KRM 312R	KRM 362R	KRM 360R
ARGILLA	-	KRM 186R	-	KRM 62RT	KRM 60RT	KRM 66RT	-	-	-	-	-	-
FANGO	-	KRM 181R	-	KRM 12RT	KRM 10RT	KRM 16RT	-	-	-	KRM 112R	KRM 162R	KRM 160R
MORO	-	KRM 182R	-	KRM 22RT	KRM 20RT	KRM 26RT	-	-	-	-	-	-
RAMMED W1 Talco	KRM LA01	KRM 1801R	-	KRM 015R	-	-	KRM 015S	-	-	-	KRM 1201R	-
RAMMED W2 Avorio	KRM LA02	KRM 1802R	-	KRM 025R	-	-	KRM 025S	-	-	-	KRM 2201R	-
RAMMED W3 Corda	KRM LA01	KRM 1803R	-	KRM 035R	-	-	KRM 035S	-	-	-	KRM 3201R	-

PEZZI SPECIALI / Trims / Pièces Spéciales / Formteile

THICKNESS 9 MM

	Gradino Elle Rett. 33x120x4 * 01 670	**Angolo DX Rett. 33x120x4** * 01 676	**Angolo SX Rett. 33x120x4** * 01 676	**Battiscopa 7x60** 15 230
OTTANIO	KRM G71K	KRM G72K	KRM G75K	KRM B70K
TALCO	KRM G81K	KRM G82K	KRM G85K	KRM B80K
AVORIO	KRM G41K	KRM G42K	KRM G45K	KRM B40K
CORDA	KRM G31K	KRM G32K	KRM G35K	KRM B30K
ARGILLA	KRM G61K	KRM G62K	KRM G65K	KRM B60K
FANGO	KRM G11K	KRM G12K	KRM G15K	KRM B10K
MORO	KRM G21K	KRM G22K	KRM G25K	KRM B20K
RAMMED W1 Talco	KRM GW11K	KRM GW12K	KRM GW15K	KRM BW10K
RAMMED W2Avorio	KRM GW21K	KRM GW122K	KRM GW25K	KRM BW20K
RAMMED W3 Corda	KRM GW31K	KRM GW32K	KRM GW35K	KRM BW30K

*6 SETTIMANE DI CONSEGNA
DELIVERY WEEKS
WOCHEN LIEFERZEIT
SEMAINES DE LIVRAISON

THICKNESS 20 MM

***PEZZI SPECIALI 20MM FINITURE STANDARD** / Special coordinated pieces ON DEMAND / Pièces spéciales coordonnées SUR DEMANDE / Zusammenstellbare Formteile AUF ANFRAGE

DESCRIZIONE	FP	CODICE GENERICO
Gradino Monografico 1 33x120	01 680	KRM M121
Gradino Monografico DX/SX 33x120	01 681	KRM M122
Gradino Monografico 3 33x120	01 682	KRM M123
Angolo Monografico SX/DX 33x120	1+1 683	KRM MA12
Gradino Costa Retta 30x60	02 607	KRM R61
Angolo Arrotondato Costa Retta 60x60	01 664	KRM RA61
Angolo Arrotondato Toro 60x60	01 672	KRM TA61

DESCRIZIONE	FP	CODICE GENERICO
Gradino L17 30x120x17	01 681	KRM L1217
Angolo L17 SX/DX 30x120x17	1+1 682	KRM LA27
Gradino Elle 30x120x6,5	01 676	KRM L1265
Angolo Elle SX/DX 30x120x6,5	1+1 678	KRM LA12
Gradino Elle 30x60x6,5	02 652	KRM L6065
Angolo Elle SX/DX 30x60x6,5	1+1 656	KRM LA60
Angolo Elle 30x30x6,5	02 625	KRM LA30

DESCRIZIONE	FP	CODICE GENERICO
Toro Gradino 30x120	01 656	KRM T120
Toro Angolo SX/DX 30x120	1+1 665	KRM TA12
Toro Gradino 30x60	02 518	KRM T600
Toro Angolo SX/DX 30x60	1+1 627	KRM TA60
3/5 RIGHE ANTIDERAPANT € 10,00 / PCS		
Griglia 20x60	02 590	KRM G260
Griglia Angolo SX/DX 20x60	1+1 610	KRM GA260

IMBALLI e PESI / Packaging and weights / Verpackungen und Gewichte / Emballages et poids

	pcs/box	m²/box	kg/box	box/pallet	m²/pallet	kg/pallet	mm
120x120	2	2,880	56,0 - MAX WEIGHT	16	46,080	896	8
100x100	2	2,000	40,9 - MAX WEIGHT	20	40,000	818	9
60x120	2	1,440	27,3 - MAX WEIGHT	32	46,080	874	9
60x60	3	1,080	20,0	48	51,840	960	9
30x60	7	1,260	23,6	40	50,400	944	9
120x120	1	1,440	62,0 - MAX WEIGHT	16	23,040	992	20
60x120	1	0,720	31,4 - MAX WEIGHT	33	23,760	1036	20
60x60	2	0,720	31,0 - MAX WEIGHT	32	23,040	992	20

IMBALLI LASTRE / Packaging / Verpackungen / Emballages

	pcs	m²/pcs	kg/pcs	pcs/crate	m²/crate	kg/crate	mm
120x278	1	3,340	47,0 - MAX WEIGHT	18	60,120	846	6

Cassa/Crate 1200x2780

Dimensione/ Dimension: 1400x2890x280 HT
Peso/Weigh: 846 kg
Pezzi/Pieces: 18

DATI TECNICI / Technical features / Technische eigenschaften / Caracteristiques techniques

TECHNICAL	DIN EN 16165 annex B	DIN EN 16165 annex A	BS EN 16165 annex C	BCR	ANSI DCOF	Deep Abrasion Resistance	MOHS	Recommended Use	Resistance to Staining	ANSI A 137.1
N **NATURALE**	R10	A+B	>36 wet slider 4S	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥5	4	5	V2 NATURAL
S **SPAZZOLATO**	-	-	-	DRY > 0.40 WET > 0.40	-	< 175 mm³	-	3	3	
ANTISLIP	R11	A+B+C	>36 wet slider 4S	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 175 mm³	≥ 7	5	5	V3 RAMMED
OUT WALK **20 MM**	R11	A+B+C	>36 wet slider 4S	DRY > 0.40 WET > 0.40	WET ≥ 0.42	< 130 mm³	≥ 8	5	5	

Contact us
for more information

architectural@veronagroup.co.uk
0113 519 5004
www.verona-architectural.co.uk

Lumina,
Park Approach,
Thorpe Park,
Leeds LS15 8GB