




Transforming
spaces, elevating
experiences

Ceppo di Gres Collection



verona-architectural.co.uk





The **sophisticated**
charisma of a famous
Lombard stone with **new**
colours, polychromatic
inclusions, rich textured
effects of **iridescent**
reflections //

An all-inclusive assortment
of porcelain stoneware: **five**
colours and the full range of
sizes, thicknesses, special
pieces and finishes **for all**
kinds of outdoor or indoor
spaces //

INTO THE SOUL

A multi-faceted matter:
each slab is a harmonious
composition of
multicoloured shades //
The **infinite irregular**
shaped fragments reflect
light diversely, thanks to
state-of-the-art digital
technologies //




CREATIVE SURFACES

The classic grey is complemented by new natural colours, designed for modern architecture and decor: beige, light, dark green and black // The palette allows different combinations and is enriched by the 5x8 tesserae or Palladian Mosaic //



# RANGE DETAILS		FOUR SIZES	TWO FINISHINGS
--------------------	--	---------------	-------------------

R10 . R11





_____ 09

INTO THE SOLUTIONS

The special **texture** of the **matter**, with a uniform colour base livened up by a balanced set of fragments, is ideal for **coating** any type of space and structure, respecting and **enhancing architectural structures'** movement //

APPLICATIONS GALLERIES

A // HOME GALLERY



23 LIVING
AVORIO



26 LIVING
VERDE/AVORIO



14 KITCHEN
GRIGIO



28 HOME OFFICE
AVORIO



40 BATHROOM
SABBIA



39 BATHROOM
GRIGIO/VERDE



57 RELEASE
NERO

B // GARDEN GALLERY



20 PATIO
GRIGIO



44 OUTDOOR
SABBIA



31 VILLA
AVORIO/NERO

C // CONTRACT GALLERY



16 SHOP
GRIGIO/NERO



52 RESTAURANT
NERO



34 SPA
VERDE



48 DEHOR
SABBIA/NERO

A // HOME KITCHEN
GRIGIO

floor
GRIGIO 120x120 - 48"x48" RETT

wall
GRIGIO 120x120 - 48"x48" RETT

#SPECIAL
SURFACE



C // CONTRACT SHOP GRIGIO

floor
GRIGIO 120x120 .48"x48" RETT

Sinuous and futuristic
furnishings, matched up
with Ceppo di Grès Grigio
flooring conveying the feeling
of welcoming **naturalness** //

floor
GRIGIO 120x120 . 48"x48" RETT



C // GARDEN PATIO GRIGIO

floor indoor
GRIGIO 60x120 - 24"x48" RETT

floor outdoor
GRIGIO R11 19 MM 60x120 - 24"x48" RETT
GRIGIO PEZZI SPECIALI R11 19 MM

wall
NERO 60x120 - 24"x48" RETT

#R10
INDOOR

#R11
OUTDOOR

A // HOME LIVING AVORIO

floor
AVORIO 120x120 . 48"x48" RETT

Space **renovations** which respect the original spirit and style //

The flooring is **brightly textured**, with a motion effect but not grained: perfect for enhancing the feeling of spaciousness also in small spaces //



floor
AVORIO 120x120 . 48"x48" RETT



**C // HOME LIVING
AVORIO + VERDE**

floor
AVORIO 60x120 - 24"x48" RETT

wall
VERDE 60x120 - 24"x48" RETT

#MODERN
LOOK



A // HOME STUDIO AVORIO	
floor AVORIO 60x60 . 24"x24" RETT Elements NERO	



B // GARDEN VILLA AVORIO
floor AVORIO R11 19 MM 60x120 . 24"x48" RETT AVORIO PEZZI SPECIALI R11 19 MM
wall AVORIO 60x120 . 24"x48" RETT NERO 60x120 . 24"x48" RETT

Flooring for outdoor spaces with **R11** non-slip finish, in this case with **19mm** thickness and two installation options: dry laying, on gravel and glued to the screed // The steps are finished in a workmanlike manner thanks to special pieces like stair tread and L-shaped piece //



floor
AVORIO R11 19 MM 60x120 . 24"x48" RETT

wall
AVORIO 60x120 . 24"x48" RETT



C // CONTRACT SPA VERDE

floor

VERDE R11 60x120 - 24"x48" RETT
VERDE R11 19 MM 60x120 - 24"x48" RETT
VERDE PEZZI SPECIALI R11 19 MM

wall

VERDE 60x60 - 24"x24" RETT
VERDE 30x60 - 12"x24" RETT
VERDE MOSAICO TESSERA 5x5 - 2"x2" RETT

#SPECIAL
PIECES



floor

VERDE R11 60x120 . 24"x48" RETT

VERDE R11 19 MM 60x120 . 24"x48" RETT

VERDE PEZZI SPECIALI R11 19 MM

Cercom's **high-quality** Porcelain stoneware is not damaged by thermal water or disinfectants // The range of available complementary special pieces and mosaics complete **details** and **finishes** perfectly //

wall

VERDE MOSAICO TESSERA 5x5 . 2"x2" RETT



A // HOME BATHROOM VERDE + GRIGIO
wall GRIGIO MOSAICO TESSERA 5x5 . 2"x2" RETT
floor VERDE 60x60 . 24"x24" RETT





A // HOME BATHROOM SABBIA

wall

SABBIA MOSAICO TESSERA 5x5 - 2"x2" RETT

floor

SABBIA 60x120 - 24"x48" RETT

Stylistically **eclectic**,
elegantly coloured, able to
harmonise also with
high-level architectural
contexts: these are some
of **Ceppo di Grès'**
distinguishing features //

wall
SABBIA MOSAICO TESSERA 5x5 . 2"x2" RETT

floor
SABBIA 60x120 . 24"x48" RETT





#IN&OUT
COORDINATED

B // GARDEN OUTDOOR SABBIA

floor

SABBIA 60x120 . 24"x48" RETT

SABBIA R11 60x120 . 24"x48" RETT

wall

SABBIA R11 60x120 . 24"x48" RETT


The **two finishes**, for indoor spaces (R10) and non-slip R11 for outdoor spaces look similar: the floors of terraces and of indoor spaces **aesthetically** appear to be a single entity, thus increasing the feeling of spaciousness //

floor

SABBIA 60x120 . 24"x48" RETT
SABBIA R11 60x120 . 24"x48" RETT

wall

SABBIA R11 60x120 . 24"x48" RETT



C // CONTRACT DEHOR SABBIA + NERO
floor SABBIA 60x120 . 24"x48" RETT SABBIA R11 60x120 . 24"x48" RETT
wall SABBIA 120x120 . 48"x48" RETT NERO 120x120 . 48"x48" RETT

The **façade** cladding, also ventilated, is a functional and practical option, thanks to sizes up to 120x120 //

The product range includes extra features like colour **combinations** and matching anti-slip surfaces for outdoor floors //



floor
SABBIA 60x120 . 24"x48" RETT



wall
SABBIA MOSAICO TESSERA 5x5 . 2"x2" RETT




C // CONTRACT RESTAURANT NERO

floor

NERO 120x120 - 48"x48" RETT
NERO R11 60x120 - 24"x48" RETT

wall

AVORIO 120x120 - 48"x48" RETT



#MATTER

Ceppo di Grès' **original appearance** was born from the casual **combination** between portions of different matter, rich in details, but with a **refined** overall effect //

floor
NERO 120x120 , 48"x48" RETT

wall
NERO 120x120 , 48"x48" RETT



A // HOME RELEASE NERO

wall
NERO 120x120 . 48"x48" RETT

Pairing with fabrics, wood and furnishings is always particularly well-matched and pleasant, for all the **five** colours of Ceppo di Grès //



floor
NERO 60x120 / 24"x48" RETT

AVORIO



GRES PORCELLANATO A TUTTA MASSA . FULL BODY PORCELAIN STONEWARE . GRÉS CÉRAMÉ PLAINE MASSE . VOLLMASSEFENSTENZEUG . КЕРАМОГРАНИТ ПО ВСЕЙ ТОЛЩИНЕ



Sizes	NAT	R11
 9,5 MM 3/8"		
 120x120 . 48"x48" RETT	☐	
 60x120 . 24"x48" RETT	☐	☐
 60x60 . 24"x24" RETT	☐	☐
 30x60 . 12"x24" RETT	☐	☐
 19 MM 3/4"		
 60x120 . 24"x48" RETT		☐

Mosaics	NAT
 9,5 MM 3/8"	
 Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	☐



NAT
R10 RETT



R11
R11 RETT

Pezzi speciali . Special pieces . Pièces spéciales
Formelle . Специальные элементы. Pag. 66

SABBIA



GRES PORCELLANATO A TUTTA MASSA . FULL BODY PORCELAIN STONEWARE . GRÉS CÉRAMÉ PLAINE MASSE . VOLLMASSEFENSTENZEUG . КЕРАМОГРАНИТ ПО ВСЕЙ ТОЛЩИНЕ



Sizes	NAT	R11
 9,5 MM 3/8"		
 120x120 . 48"x48" RETT	☐	
 60x120 . 24"x48" RETT	☐	☐
 60x60 . 24"x24" RETT	☐	☐
 30x60 . 12"x24" RETT	☐	☐
 19 MM 3/4"		
 60x120 . 24"x48" RETT		☐

Mosaics	NAT
 9,5 MM 3/8"	
 Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	☐



NAT
R10 RETT



R11
R11 RETT

Pezzi speciali . Special pieces . Pièces spéciales
Formelle . Специальные элементы. Pag. 66

GRIGIO

GRES PORCELLANATO A TUTTA MASSA . FULL BODY PORCELAIN STONEWARE . GRÉS CÉRAME PLAINE MASSE . VOLLMASSEFENSTENZEUG . КЕРАМОГРАНИТ ПО ВСЕЙ ТОЛЩИНЕ



Sizes	NAT	R11
 9.5 MM 3/8"		
 120x120 . 48"x48" RETT	□	
 60x120 . 24"x48" RETT	□	□
 60x60 . 24"x24" RETT	□	□
 30x60 . 12"x24" RETT	□	□
 15 MM 1/2"		
 60x120 . 24"x48" RETT		□

Mosaics	NAT
 9.5 MM 3/8"	
 Mosaico Tessera 5x5 . 2"x2"	□
30x30 . 12"x12" RETT	



NAT
R10 RETT




R11
R11 RETT

Pezzi speciali . Special pieces . Pièces spéciales
Formelle . Специальные элементы. Pag. 66


VERDE

GRES PORCELLANATO A TUTTA MASSA . FULL BODY PORCELAIN STONEWARE . GRÉS CÉRAME PLAINE MASSE . VOLLMASSEFENSTENZEUG . КЕРАМОГРАНИТ ПО ВСЕЙ ТОЛЩИНЕ



Sizes	NAT	R11
 9.5 MM 3/8"		
 120x120 . 48"x48" RETT	□	
 60x120 . 24"x48" RETT	□	□
 60x60 . 24"x24" RETT	□	□
 30x60 . 12"x24" RETT	□	□

Mosaics	NAT
 9.5 MM 3/8"	
 Mosaico Tessera 5x5 . 2"x2"	□
30x30 . 12"x12" RETT	



NAT
R10 RETT



R11
R11 RETT

Pezzi speciali . Special pieces . Pièces spéciales
Formelle . Специальные элементы. Pag. 66

NERO



GHES PORCELLANATO A TUTTA MASSA . FULL BODY PORCELAIN STONEWARE . GRÉS CÉRAMÉ PLAINE MASSÉ . VOLLMASSGEPFENGTENZUG . КЕРАМОГРАНИТ ПО ВСЕЙ ТОЛЩИНЕ



Sizes	NAT	R11
 9,5 MM 3/8"		
 120x120 . 48"x48" RETT	☒	
 60x120 . 24"x48" RETT	☒	☒
 60x60 . 24"x24" RETT	☒	☒
 30x60 . 12"x24" RETT	☒	☒

Mosaics	NAT
 9,5 MM 3/8"	
 Mosaico Tessera 5x5 . 2"x2" 30x30 . 12"x12" RETT	☒



NAT
R10 RETT



R11
R11 RETT

Pezzi speciali . Special pieces . Pièces spéciales
Formteile . Специальные элементы . Pag. 66

MOSAICI



MOSAICS . MOSAÏQUES . MOSAIKEN . МОЗАИКА

MOSAICO TESSERA



AVORIO
30x30 . 12"x12" RETT
tessera 5x5 . 2"x2"



SABBIA
30x30 . 12"x12" RETT
tessera 5x5 . 2"x2"



GRIGIO
30x30 . 12"x12" RETT
tessera 5x5 . 2"x2"



VERDE
30x30 . 12"x12" RETT
tessera 5x5 . 2"x2"



NERO
30x30 . 12"x12" RETT
tessera 5x5 . 2"x2"




PEZZI SPECIALI


TRIMS . PIÈCES SPÉCIALES . FORMSTÜCKE . СПЕЦИАЛЬНЫЕ ИЗДЕЛИЯ




Battiscopa
6,5x60 . 2 9/16"x24" RETT




Step molato
30x60 . 12"x24" RETT




Elemento "L" R11
15x60x5 . 6"x24"x2" RETT



Gradone costa retta
30x120x3,3 . 12"x48"x1 5/16" RETT



Gradone square assembled
30x120x3,3 . 12"x48"x1 5/16" RETT



Step Molato R11
30x120 . 12"x48" RETT

Step Torato R11
30x120 . 12"x48" RETT

Gradone Costa Retta R11
30x60x5 . 12" x24"x2" RETT

Elemento ad "L" assembled R11
15x60x5 . 6"x24"x2" RETT

PACKING

	PCS // BOX	SQM // BOX	KGS // BOX	BOXES // PALLET	SQM // PALLET	KGS // PALLET
9,5 MM 3/8"						
120x120 . 48"x48" RETT	1	1,44	31,00	40	57,60	1300
60x120 . 24"x48" RETT / R11	2	1,44	31,00	36	51,84	1144
60x60 . 24"x24" RETT / R11	3	1,08	22,80	40	43,20	928
30x60 . 12"x24" RETT / R11	6	1,08	22,80	40	43,20	928
19 MM 13/16"						
60x120 . 24"x48" R11 RETT	1	0,72	30,60	36	25,92	1118



CARATTERISTICHE TECNICHE

TECHNICAL FEATURES · CARACTÉRISTIQUES TECHNIQUES · TECHNISCHE EIGENSCHAFTEN · ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ

// ufoadv.com

GRES PORCELLANATO A TUTTA MASSA - ISO 13006 Bia UGL				
FULL BODY PORCELAIN STONEWARE - ISO 13006 Bia UGL - GRÈS CÉRAME PLAINE MASSE - ISO 13006 Bia UGL				
VOLLMASSEFEINSTEINZEUG - ISO 13006 Bia UGL - КЕРАМОГРАНИТ ПО ВСЕЙ ТОЛЩИНЕ - ISO 13006 Bia UGL				
	Aspetto superficiale Surface appearance Aspect superficiel Oberflächenbeschaffenheit Виз. характеристики	± 95%	Conforme Conforme Konform Совместимый	
	Longhezza e larghezza Length and width Longueur et largeur Länge und Breite Длина и ширина	Deviazione valore medio % rispetto a dimensione di fabbricazione Deviation of the average size for each size from the work size (%) Écart dimensionnel moyen en % par rapport aux dimensions de fabrication Abweichung des Durchschnittswertes in % hinsichtlich der Produktionsgröße Отклонение (средн. значение, %) от проекционных размеров ± 0,10 mm ± 0,8% - ± 0,10 mm ± 0,75%	± 0,2% ± 1,0 mm	
	Resistenza agli urti Toughness of edge Résistance des arêtes Kantengebiet Прочность кромки	± 0,5%	± 0,2% ± 1,0 mm	
	Spessore / Thickness / Épaisseur / Stärke / Толщина	± 0,5%	± 0% ± 0,5 mm	
	Ortogonalità Rectangularity Orthogonalité Rechteckigkeit Ортogonalность	± 0,5%	± 0,2% ± 0,5 mm	
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Влагопоглощение	± 0,3% UNI EN ISO 13006	E ± 0,1%	
	Resistenza alla superficie (scalfi MOH) / Scratch hardness (MOH scale) / Dureté de la surface (échelle MOH) / Oberflächenhärte (MOH skala) / Твердость поверхности (по шкале Мооса)	EN 105	± 8	
	Resistenza a flessione e forza di rottura Modulus of rupture and breaking strength Résistance à la flexion et force de rupture Biegefestigkeit und Bruchkraft Прочность на изгиб и модуль упругости	≥ 1300 N	≥ 1300 N	
		R ≥ 30 N/mm ²	R ≥ 30 N/mm ²	
	Resistenza all'abrasione profonda Abrasion resistance Résistance à l'abrasion Verschleiß / Abriebwiderstand Устойчивость к глубокой абразивности	± 175 mm ³	± 175 mm ³	
	Coefficiente di dilatazione termica lineare Linear thermal expansion coefficient Coefficient de dilatation thermique Lineare Wärmeausdehnungskoeffizient Коэффициент линейного температурного расширения	Come dichiarato dal produttore See manufacturer's declaration Selon déclaration du producteur Entsprechend der Herstellerangabe Как указано производителем	Metodo disponibile Method available Méthode disponible Verfügbares Verfahren Удобный способ	
	Resistenza allo shock termico Thermal shock resistance Résistance au choc thermique Temperaturstoßwiderstand Устойчивость к термическим ударам	Resistant samples must present no alteration No sample must show visible alteration Aucun échantillon ne doit présenter d'altération Kein Muster darf sichtbare Veränderungen zeigen Назвуч. образцы не должны демонстрировать изменений	Resistant Résistant Widerstandsfähig Выносливый	
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Устойчивость к замораживанию	Resistant samples must present no alteration No sample must show visible defect Aucun échantillon ne doit présenter de défaut Muster dürfen keine sichtbaren Schäden zeigen Назвуч. образцы не должны демонстрировать изменений	Resistant Résistant Frostbeständig Устойчивый	
	Resistenza all'abrasione chimica (tracce acide fluoridiche) Resistance to chemical attack (acid hydrofluoric acid) Résistance à l'attaque chimique (acide fluorhydrique) Streu- und Laugenbeständigkeit (saure Fluoridure) Устойчивость к химическому воздействию	Resistant samples must present no alteration No sample must show visible alteration Aucun échantillon ne doit présenter d'altération Muster dürfen keine sichtbaren Veränderungen zeigen Назвуч. образцы не должны демонстрировать изменений	Classe A-NA-LA Classe A-NA-LA Gruppe A-NA-LA Класс A-NA-LA	
	Resistenza alle macchie di pigmenti organici Resistance to stains of organic pigments Résistance aux taches des colorants organiques Widerstand gegen Fleckfarbstoffe der (wasserl. Phase) Устойчивость к пятнам органических красителей	Resistant samples must present no alteration No sample must show visible alteration Aucun échantillon ne doit présenter d'altération Muster dürfen keine sichtbaren Veränderungen zeigen Назвуч. образцы не должны демонстрировать изменений	Classe 5 Classe 5 Gruppe 5 Класс 5	
	Resistenza alle sollecitazioni. Coefficiente di attrito medio Load resistance. Average coefficient of friction Résistance au glissement. Coefficient de frottement moyen Bürschfestigkeit. Mittlere Reibungskoeffizient Устойчивость к нагрузкам. Средний коэффициент трения	B.C.R.A. REP CFC, RRY (NO SATIN-RETT - NO LUX - NO SATIN)	2,40 ± 0,15	± 0,15
		DN 9100 ± R 9 (NO SATIN-RETT - NO LUX - NO SATIN - NO MAX)	R10	R11
		DN 9100 (NO SATIN-RETT - NO LUX - NO SATIN - NO MAX)	Classe 91 Classe 91 Gruppe 91 Класс 91	Classe 91 Classe 91 Gruppe 91 Класс 91
		PCOF	≥ 0,42	
		Perdurum Australia AS 4588	R10 Classe 91 Classe 91 Gruppe 91 Класс 91	R11 Classe 91 Classe 91 Gruppe 91 Класс 91
		Perdurum Italia S.p.A. 2078	FTV > 35 wt	

CEPPO DI GRÈS

#SIZE

120x120
45" x 48"

60x120
24" x 48"

60x60
24" x 24"

30x60
12" x 24"

#COLORS

AVORIO

SABBIA

GRIGIO

VERDE

NERO

#SURFACES

NAT

PII

Contact us for more information



architectural@veronagroup.co.uk

0113 519 5004

www.verona-architectural.co.uk

Lumina,
Park Approach,
Thorpe Park,
Leeds LS15 8GB

