


Transforming spaces, elevating experiences

Rebels Collection







REBELS

Art infused practice transforming rebelliousness in creativity, freshness that adds value, identity...


Experience our cool colour notes, contrasts in gloss and matt and present your spaces the way you are.

Rebel and think for yourself

01. SIZES, COLOURS AND FINISHES pag. 4 **02.** GET INSPIRED pag. 6 **03.** TECHNICAL DRAWINGS pag. 28 **04.** PACKING pag. 29 **05.** PRICE CODE pag. 29 **06.** RECOMMENDATIONS pag. 30 **07.** TECHNICAL FEATURES pag. 31



01. SIZES, COLOURS AND FINISHES **REBELS**





Available in all colours





|5 4 |





■ Rebels Terracotta Matt & Topo Matt
Rebels Edge Terracotta Matt

Floor Tiles: Bejmat Square Tan




Rebels Terracotta Matt - 96% Rebels Nero Gloss - 4%

Rebels Terracotta Gloss - 50%

Rebels Popcorn Matt - 33,33%

Rebels Nero Matt - 16,67%

Floor Tiles: **Rebels** Terracotta Matt







■ Rebels Moss Gloss - 50% Rebels Moss Matt - 50%

Floor Tiles: **Tanka** Graphite (Ensō Collection)



Rebels Nero Matt

Rebels Popcorn Gloss ▶





■ Rebels Mustard Matt, Nero Matt & Nero Gloss

Floor Tiles: Mud Old White

14|

02. GET INSPIRED



Rebels Mustard Gloss



Rebels Grey Gloss & Matt ▶





Rebels Topo Matt

◆ SB Taupe Gloss

02. GET INSPIRED


Floor Tiles: **Abbey Stone S** Cluny



Rebels Sage Gloss - 75% ► Rebels Sage Matt - 25%

Floor Tiles: Suit Ona (Tesserae Collection)







Rebels Sage Matt **Rebels** Sage Gloss

tt, Popcorn Gloss, Popcorn Matt, Floor Tiles: **Roots M & L** Sand

■ Rebels Taupe Matt, Popcorn Gloss, Popcorn Matt, Mustard Matt & Nero Matt




Rebels Sage Gloss, Grey Gloss, Grey Matt, Popcorn Matt & Popcorn Gloss ► **Rebels Edge** Popcorn Matt




03. TECHNICAL DRAWINGS





REBELS EDGE



| | | | | FT2 | | E COLOR |
|-------------|-----------|------------|----------|-------------|------------|---------------|
| Model | Size (in) | Pieces/box | lb/box | sq ft/box | Box/pallet | sq ft/pallet |
| Rebels | 2"x6" | 75 | 21.60 lb | 5.737 sq ft | 100 | 573.700 sq ft |
| Rebels Edge | 0.33"x6" | 10 | 0.53 lb | 4.839 ft | 200 | 967.800 ft |

| Modelo Model | Tamaño (cm) Size (cm) | Piezas/caja Pieces/box | Kg/caja kg/box | m²/caja m²/box | Cajas/palet Box/pallet | m²/palet m²/pallet |
|------------------------|---------------------------------|----------------------------------|--------------------------|--------------------------|----------------------------------|------------------------------|
| Rebels | 5x15 cm | 75 | 9,80 kg | 0,533 m ² | 100 | 53,300 m ² |
| Rebels Edge | 0,8x15 cm | 10 | 0,24 kg | 1,475 m | 200 | 295,000 m |

28 |

06. RECOMMENDATIONS

07. TECHNICAL FEATURES REBELS

WAREHOUSING

In order to guarantee the characteristics of the finish the product must be kept in its original packaging until the time of fixing. If the product is likely to be stored for a long period of time it should be suitably covered.

TILE FIXING

To ensure the products adhere correctly to the surface, it is essential to use specific adhesive and grouting material. This must also be suitable for the environment they will have to withstand. Fitting with traditional mortars does not ensure good adhesion.

Due to the nature of the material there may be dimensional variations between pieces. Therefore, all types of joints must be planned and carried out correctly: structural, perimeter, expansion and installation joints. Fitting tiles without joints is not advisable from any technical point of view as this may lead to various problems. For an optimal result we advise to use 1,5 mm (0.06") grout.

MAINTENANCE AND CLEANING

Once the materials have been fitted, it is advisable to remove any remaining adhesive and grouting material by using a commercial descaling product designed especially, diluted with water. The descaling product must not remain in contact with the surface to be cleaned for more than 5 minutes. As a general guideline, powder dertergents should not be used, not wire wool or abrasive materials. Generally a sponge will be sufficient with warm water and liquid neutral soap. Then rinse with plenty of clean water.

CHROMATIC VARIATION

Rebels Collection has been designed with a medium chromatic variation between pieces. Prior to any installation, range of tiles should be checked by the client. No claims will be accepted after installation.

WARNING!

This collection reproduces traditional hand made tiles, this is the reason why there are slight dimentional differences between pieces (variable lengths and widths), which are part of the intended aesthetic. It is advised to adjust each one of the pieces in the process of installation due to the dimentional differences, instead of using spacers. As a result, these differences give the character, craftsman feel and a high aesthetic value.

Dry-pressed porcelain tiles whith water absorption B Ia ≤ 0,5% for interior and exterior floors and walls.

| | FEATURES / CARACTERÍSTICAS | SPECIFICATION / ESPECIFICACIÓN | NORMA | |
|--------------|-------------------------------|---|------------------------------------|--|
| | Dimensional Features | 48 mm +/- 0,9 mm x 148 mm +/- 0,6% x 8,5 mm | UNE-EN ISO 10545-2:1998 | |
| | Water absorption | E _b ≤ 0,5% | UNE-EN ISO 10545-3:1997 | |
| | Modulus of rupture | Minimum 35 N/mm2 Individual Minimum 32 N/mm2 | UNE-EN ISO 10545-4:2012 | |
| PEI | Abrasive resistance | PEI 4: Popcorn PEI 3: Grey, Topo, Taupe & Sage PEI 2: Nero , Moss, Terracotta & Mustard | UNE-EN ISO 10545-7:1999 | |
| ᠰ | Crazing resistance | Pass | UNE-EN ISO 10545-11:1997 | |
| | Frost resistance | Pass | UNE-EN ISO 10545-11:1997 | |
| | Household products resistance | GA | UNE-EN ISO 10545-13:1998 | |
| | Chemical resistance | GHA | UNE-EN ISO 10545-13:1998 | |
| | Stain resistance | 5 | UNE-EN ISO 10545-14:1998 | |
| | Non-slip value | Matt Colours: R10 / CLASS 2 / DCOF >0,42 Glossy Colours: Not Comply | DIN 51130:2014 ANSI A137.1:2012 | |
| | Tone variation | Medium | - | |
| Р | Porcelain body | - | - | |

30|

Contact us for more information



architectural@veronagroup.co.uk 0113 519 5004

www.verona-architectural.co.uk

Lumina, Park Approach, Thorpe Park, Leeds LS15 8GB





